


SuperSmart®

CERTIFICATE OF ANALYSIS


Name of Product : EDTA
Lot Number : 570523
Specification No : 0297
Best-if-used-by : 05/26
Checking of raw material analysis certificates: Conforms
Presentation : Bottle

SAMPLE	SPECIFICATIONS	RESULTS
1- Appearance	White Capsule	Positive
2- Identification	Positive	Positive
3-No. of capsules/bottle	180	Conforms
4- Weight of capsules USP<2091>	664 mg. + - 5%	641 mg (average)
5-Size	'0' Veggie	Conforms

6- Less than 95 per gram USP<2021>		
Total plate count	<100,000 cfu/g	Conforms
Total yeast & mold	<10,000 cfu/g	Conforms
E. Coli	Negative	Negative
Salmonella	Negative	Negative
7- Pesticides	Negative	Negative
8- Chemical Analysis		
Lead	0.0 mg/kg	0.0
Arsenic	0.0 mg/kg	0.0
Mercury	0.0 mg/kg	0.0
9- Time of Disintegration: in Simulated gastric Fluids USP <2040>	Less than 15 minutes	<15 min



Signature of Analyst



Date of Analysis

This product conforms to the above mentioned specifications and is suitable for human consumption. The product is manufactured in USA by a GMP certified lab.