


# SuperSmart<sup>®</sup>

## CERTIFICATE OF ANALYSIS

Name of Product : DNA Repair  
Lot Number : 160524  
Specification No : 0698  
Best-if-used-by : 05/2027  
Checking of raw material analysis certificates : Conforms  
Presentation : Bottle of Capsules

SAMPLE	SPECIFICATIONS	RESULTS
1- Appearance	Green Capsule	Positive
2- Identification	Positive	Positive
3- No. of caps/bottle	60	Conforms
4- Weight of capsule	665 mg. + - 10%	610.1 mg (average)
5- Empty capsule	'0' Veggie	Conforms
6- Less than 95 per gram		
Total plate count	<100,000 cfu/g	Conforms
Total yeast & mold	<10,000 cfu/g	Conforms
E. Coli	Negative	Negative
Salmonella	Negative	Negative
7- Pesticides	Negative	Negative
8- Chemical Analysis		
Lead	0.0 mg/kg	0.0
Arsenic	0.0 mg/kg	0.0
Mercury	0.0 mg/kg	0.0
9- Time of Disintegration: in Simulated gastric Fluids USP <2040>	Less than 15 minutes	Less than 15 minutes

  
Signature of Analyst

03/31/2025  
Date of Analysis

This product conforms to the above mentioned specifications and is suitable for human consumption. The product is manufactured in the USA by a GMP certified lab.